

CLINTON COUNTY ROAD COMM.

3536 S. US Highway 27

Saint Johns, MI 48879

ALUMINUM BLANKS AND COMPLETE SIGNS

Sealed bids will be received by the Clinton County Road Commission until **10:00 am on Wednesday, February 21, 2018**, at the Clinton County Road Commission office located at 3536 S. US Highway 27, St. Johns, Michigan 48879, at which time and place the bids will be publicly opened and read.

Bids are to be submitted on the forms furnished by the Clinton County Road Commission. Bids must be in sealed envelopes clearly marked on the outside indicating "**Aluminum Blanks & Complete Signs**" and the name of the bidder submitting bid.

Company

Address

City, State, Zip

Signature

Date

Email

Phone number

Bid prices are to be firm for one year from the date of bid.

Materials are to be bid by truck delivery F.O.B. Clinton County Road Commission St. Johns facilities located at 3536 S. US Highway 27, St. Johns, Michigan.

BIDDER FEDERAL I.D. # _____

BIDDER TO FURNISH MATERIAL SAFETY DATA SHEET(S) WITH BID, IF REQUIRED FOR MATERIAL FURNISHED.

THIS IS A SEALED BID; THEREFORE, WE CANNOT ACCEPT A BID IN THE FORM OF A FAX OR AN EMAIL.

Renewal option:

The Road Commission reserves the right to renew the contract for additional one-year terms. Each renewal to be mutually agreed upon by both parties. Pricing, terms and conditions of the first year of the contract will remain the same for any subsequent one year renewal period.

TITLE VI – The CLINTON COUNTY ROAD COMMISSION in accordance with Title VI of the Civil Rights Act of 1964, 78-252, 42 U.S.C. 2000d-2222d-4, the Civil Rights Act of 1987, P.L. 100-259, and Title 49, Code of Federal Regulations, Department of Transportation, subtitle A, Office of the Secretary, Part 21, Non-discrimination in federally assisted programs of the Department of Transportation issued pursuant to such Act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, Disadvantaged Business Enterprise firms will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of Race, Color, Sex, Age, National Origin, or Handicap in consideration for an award.

The bidder will be responsible for CDL compliance of all employees/sub contractors used in fulfilling the delivery of these signs.

TERMS:
DELIVERY TIME:
ASTM ALLOY NUMBER:
MINIMUM LOAD (LBS.):

BIDDER'S REMARKS OR EXCEPTIONS, IF ANY:

THE BOARD OF CLINTON COUNTY ROAD COMMISSIONERS RESERVE THE RIGHT TO REJECT ANY AND ALL PROPOSALS, TO WAIVE IRREGULARITIES OR TO MAKE THE AWARD IN PART OR ENTIRETY AND TO ACCEPT THE PROPOSAL(S) THAT, IN THE OPINION OF THE BOARD ARE IN THE BEST INTEREST OF THE CLINTON COUNTY ROAD COMMISSION.

Aluminum sheet sign panel material is to meet the current Michigan Department of Transportation Standard Specifications for Construction, PERMANENT TRAFFIC SIGN AND SUPPORT MATERIALS, TRAFFIC SIGNS and ALUMINUM SHEET. The aluminum sheet sign panels will be Type III and must conform to the requirements for aluminum alloy 6061-T6, 5052-H38, or 5154-H38 of ASTM B 209. The type III aluminum sheet sign panels must be fabricated from nominal 0.080 inch thick aluminum sheet with mill tolerance as specified in ASTM B 209. Corners must be rounded with a 1.50 inch radius.

Hole punching of the sign panels is to be 3" minimum from edge unless otherwise stated. Any panels not conforming will be rejected.

ALUMINUM BLANKS

<u>SIZE</u>	<u>PRICE EA</u>	<u>SIZE</u>	<u>PRICE EA</u>
12" x 6"	_____	48" x 36"	_____
48" x 30"	_____	C)48" x 18"	_____
12" x 18"	_____	B)24" x 42"	_____
36" x 12"	_____	B)36" yield	_____
B)24" x 30"	_____	D)30" x 30"	_____
B)18" x 24"	_____	36" round	_____
B)24" x 18"	_____	30" stop	_____
B)24" x 24"	_____	A)36" stop	_____
C)48" x 24"	_____	30" pentagon	_____
E)36" x 36"	_____		
36" x 48" x 48"	_____		
24" x 8"	_____		
B)18" x 18"	_____		
36" x 24"	_____		

- A) SIGNS REQUIRE TWO POSTS WITH 26" SPACING.
- B) SIGNS REQUIRE THE HOLES TO BE DRILLED 3" TOP & BOTTOM.
- C) SIGNS REQUIRE TWO POSTS WITH 32" SPACING.
- D) SIGNS DRILLED FOR DIAMOND SHAPED.
- E) SIGNS DRILLED FOR TWO POSTS, DIAMOND SHAPE & 30" SPACING.

COMPLETE SIGNS

Complete signs are aluminum blanks with reflective sign face material attached. They are to meet the current Michigan Department of Transportation Standard Specifications for Construction, PERMANENT TRAFFIC SIGN AND SUPPORT MATERIALS; TRAFFIC SIGNS; SIGN FACE AND LEGEND MATERIAL; REFLECTIVE SHEETING MATERIAL. **The reflective sheeting is to be of the grade specified in the bid documents.**

ALL MATERIALS USED FOR THE CONSTRUCTION OF REFLECTIVE SIGN FACES ASSOCIATED WITH THIS BID ARE TO BE 3-M BRAND.

FACES ON COMPLETE SIGNS BELOW TO BE 3-M BRAND, HIGH INTENSITY GRADE PRISMATIC SHEETING MATERIAL, GREEN WITH WHITE BORDER, SINGLE SIDED. HOLES TO BE DRILLED IN THE CENTER 1" FROM TOP AND 1" FROM BOTTOM, WITH 1/2" CORNER RADIUS.

<u>FACE SIZE</u>	<u>PRICE PER SIGN</u>	<u>FACE SIZE</u>	<u>PRICE PER SIGN</u>
24" x 9"	_____	42" X 9"	_____
30" x 9"	_____	48" X 9"	_____
36" x 9"	_____		

FACES ON COMPLETE SIGNS BELOW TO BE 3-M BRAND, HIGH INTENSITY GRADE PRISMATIC SHEETING MATERIAL.

<u>FACE SIZE</u>	<u>PRICE PER SIGN</u>	<u>FACE SIZE</u>	<u>PRICE PER SIGN</u>
12" x 6"	_____	18" x 18"	_____
12" x 12"	_____	24" x 9"	_____
12" x 18"	_____	24" x 18"	_____
12" x 36"	_____	24" x 24"	_____
24" x 30"	_____	24" x 42"	_____
30" x 9"	_____	30" x 30"	_____
42" x 9"	_____	36" x 9"	_____
36" yield	_____	36" x 36"	_____
36" yield ahead	_____	48" x 24"	_____
		48" x 30"	_____
36" x 48" no pass zone	_____	36" signal ahead	_____
		36" round advance railroad	_____
48" x 9" railroad cross bucks	_____		

FACES ON COMPLETE SIGN BELOW TO BE 3M BRAND, HIGH INTENSITY GRADE PRISMATIC SHEETING MATERIAL WITH 3M BRAND 1160 PROTECTIVE OVERLAY FILM.

<u>FACE SIZE</u>	<u>PRICE PER SIGN</u>	<u>FACE SIZE</u>	<u>PRICE PER SIGN</u>
30" stop	_____	36" stop ahead	_____
30" stop ahead	_____	48" x 24" double arrow	_____
36" stop	_____		

FACES ON COMPLETE SIGNS BELOW TO BE 3-M BRAND, FLUORESCENT YELLOW DIAMOND GRADE CUBED MATERIAL.

<u>FACE SIZE</u>	<u>PRICE PER SIGN</u>	<u>FACE SIZE</u>	<u>PRICE PER SIGN</u>
30" x 30"	_____	48" x 24"	_____
36" x 36"	_____	12" x 36"	_____
24" x 24"	_____	24" x 18"	_____
24" x 30"	_____	24" x 36"	_____
12" x 18"	_____	12" x 12"	_____
12" x 6"	_____	48" x 30"	_____
36" stop ahead	_____	36" yield ahead	_____
36" signal ahead	_____	36" round	_____

<u>FACE SIZE</u>	<u>PRICE PER SIGN</u>	<u>FACE SIZE</u>	<u>PRICE PER SIGN</u>
36"x48"x48" no passing zone	_____	30" x 12"	_____

FACES ON COMPLETE SIGNS BELOW TO BE 3-M BRAND, SERIES 3924, ORANGE DURABLE FLUORESCENT, DIAMOND GRADE MATERIAL.

<u>FACE SIZE</u>	<u>PRICE PER SIGN</u>	<u>FACE SIZE</u>	<u>PRICE PER SIGN</u>
30" diamond	_____	36" diamond	_____
48" x 18"	_____		

FACES ON COMPLETE SIGNS BELOW TO BE 3-M BRAND, 4083 CUBED FLUORESCENT YELLOW GREEN DIAMOND GRADE MATERIAL.

<u>FACE SIZE</u>	<u>PRICE PER SIGN</u>	<u>FACE SIZE</u>	<u>PRICE PER SIGN</u>
30" diamond	_____	24" x 8"	_____
30" x 12"	_____	36" school	_____
24" x 12"	_____		